

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claims 1-7 (Canceled).

8. (Previously Presented) A method of making a coated cemented carbide body, the body comprising a cemented carbide of WC with an average grain size of 0.5-4 μm , 3.5-9 wt-% Co and <2 wt-% carbides of Ta, Ti and Nb and with a substoichiometric carbon content, the method comprising: sintering the body such that an eta phase containing structure is obtained with a size of 1-15 μm and a content of 10 vol-% to 35 vol-%, and subjecting the cemented carbide body to recarburisation such that the eta phase in a 50-350 μm wide intermediate zone is transformed to WC+Co without essentially changing its Co-content.